



महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Industries

Applications | Dashboard | Change Password | Industry Documents | Logout

My Applications

Sr No.	UAN No.	Application Type	Application Date	Status	Action
1	MPCB-BMW_AUTH-0000015970	BIO-MEDICAL WASTE AUTHORIZATION	23-05-2018	Submitted	Download Payment
2	MPCB-BMW_ANNUAL_REPORT-0000002025	BIO-MEDICAL WASTE ANNUAL REPORT	23-01-2019	Submitted	Download
3	MPCB-BMW_ANNUAL_REPORT-0000002251	BIO-MEDICAL WASTE ANNUAL REPORT	05-06-2019	Submitted	Download

**Form - IV**

(See rule 13)

ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30 th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Application Type: HCF**Member of CBMWTF:** Yes**1) Particulars**

i) First Name Dr. Sonal	ii) Middle Name Apoorv	iii) Last Name Dixit
iv) Designation GM Operations	v) Aadhaar No	vi) PAN No
vii) Address as per Aadhaar Card T-2/2, Cliamo Road, HQ, Opp. Southern Command, Camp, Pune - 411001	viii) Tel. No. 0206721300	ix) Fax No. 02025403270
x) e-mail sm@sahyadrihospitals.com	xi) URL of website	

2) Address for Correspondence

i) Building Name/Building No./Survey Number Plot No. 30C, Erandawane	ii) Street / Village Karve Road	iii) City / Taluka Pune
iv) District	v) Pin-Code Number 411004	vi) Near by Landmark Deccan Gymkhana

3) Name of HCF

Sahyadri Super Speciality Hospital

4) Address of HCF

i) Building Name/Building No./Survey Number Plot No. 30C, Erandawane	ii) Street / Village Karve Road	iii) City / Taluka Pune
iv) District	v) Pin-Code Number 411004	vi) Near by Landmark Deccan Gymkhana
vii) Latitude coordinate of HCF 18.51957	viii) Longitude coordinate of HCF 73.85535	ix) Ownership of HCF Private

5) Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules

i) Authorization No. BO/CAC Cell/CCA/CAC - 1801000066	ii) Authorization validity Date 2018-06-30	
---	--	--

6) Status of Consents under Water Act and Air Act Yes	i) Consent Number BO/CAC Cell/CCA/CAC - 1801000066	ii) Consent validity Date 2018-06-30
---	--	--

7) Type of Health Care Facility Bedded Hospital	i) No of Beds 202	
---	-----------------------------	--

8) Registration Number (e.g. Bombay Nursing Home reg. no.,MSDC,MBTC)

LCBP - 0506 - 01150

9) Registration Expiry Date

2021-03-31

10) Faculty of Medicine

1

11) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of

M/s. Passco Environmental Solution, PMC

12) Details of BMW Generated**i) Authorized BMW Quantity MT/ anum (as per valid CCA)**

Yellow	Red	Blue	White
---------------	------------	-------------	--------------

ii) Generation of BMW Quantity (kg/day)

Yellow	Red	Blue	White
---------------	------------	-------------	--------------

iii) BMW disposed at CBMWTSDF(kg/day)

Yellow 2663.0000	Red 1284.2700	Blue 570.7300	White 116.2600	General Solid Waste 6750.0000
----------------------------	----------------------	----------------------	--------------------------	--------------------------------------

iv) Quantity of waste generated and disposed in MT/ annum (on monthly average basis)

Yellow	Red	Blue	White
---------------	------------	-------------	--------------

13) Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period

Yes

14) Details trainings conducted on BMW**i) Number of trainings conducted on BMW Management.**

64

ii) Number of personnel trained

772

iii) Number of personnel trained at the time of induction

800

iv) number of personnel not undergone any training so far**v) whether standard manual for training is available?**

Yes

vi) any other information

No

15) Details of the accident occurred during the year**i) Number of Accidents occurred****ii) Number of the persons affected****iii) Remedial Action taken (Please attach details if any)**

No

iv) Any Fatality occurred, If yes details.

No

16) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?

No

17) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?

No

Place

Pune

Designation

GM Operations

Date

2019-06-05