



महाराष्ट्र प्रदूषण नियंत्रण मंडळ

Industries

[Applications](#) | [Dashboard](#) | [Change Password](#) | [Industry Documents](#) | [Logout](#)

My Applications

Sr No.	UAN No.	Application Type	Application Date	Status	Action
1	MPCB-BMW_AUTH-0000016062 Download certificate	BIO-MEDICAL WASTE AUTHORIZATION	29-05-2018	Approved	Download Payment
2	MPCB-BMW_ANNUAL_REPORT-0000002286	BIO-MEDICAL WASTE ANNUAL REPORT	13-06-2019	Submitted	Download
3	MPCB-E_WASTE_ANNUAL_REPORT_NEW-E-WASTE ANNUAL REPORT 0000000881	E-WASTE ANNUAL REPORT	28-06-2019	Submitted	Download
4	MPCB-BMW_ANNUAL_REPORT-0000003186	BIO-MEDICAL WASTE ANNUAL REPORT	16-06-2020	Submitted	Download



Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30 th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Application Type: HCF		Submit To SRO-Nashik
i) Unit Name SHL Sahyadri Super Speciality Hospital Nashk	ii) Plant Name SHL SAHYADRI SUPER SPECIALITY HOSPITAL NASHIK	
Member of CBWTF: Yes		
Type of Health Care Facility Bedded		
1) Particulars		
i) First Name Chandrakant	ii) Middle Name Laxman	iii) Last Name Bhosale
iv) Designation Manager Operations	v) Aadhaar No	vi) PAN No
vii) Address as per Aadhaar Card Plot No. 1, Jeevan Housing Society, Sector No. 21, Yamuna Nagar, Nigdi, Pune - 411044	viii) Tel. No. 9011350676	ix) Fax No.
x) e-mail chandrakant.bhosale@sahyadrihospitals.com	xi) URL of website https://www.sahyadrihospital.com	
2) Details of the HCF		
i) Name of the HCF SHL Sahyadri Super Speciality Hospital Nashik	ii) Email chandrakant.bhosale@sahyadrihospitals.com	iii) Name of the contact person Chandrakant Bhosale
iv) Contact No. 9011350676		
3) Address of the HCF		
Building Name/Building No./Survey Number Final Plot No. 22, Survey No. 499/1/1/11	ii) Street / Village Near Dwarka Circle, Vadala Road	iii) City / Taluka Nashik
iv) District Nashik	v) Pin-Code Number 422001	vi) Near by Landmark
vii) Latitude coordinate 19.997454	viii) Longitude coordinate 73.789803	ix) Ownership Private
4) Status of Consent and Authorisation under the Bio-Medical Waste (Management and Handling) Rules		
i) Authorization No. Format 1.0/BO/PSO/CC-1905000330	ii) Authorization validity Date 2023-06-02	
i) Consent Number Format 1.0/BO/PSO/CC-1905000330	ii) Consent validity Date 2023-06-02	
5) Total No of Beds (As per valid Authorization)		108
6) Registration Number (e.g. Bombay Nursing Home reg. no.,MSDC,MBTC)		1137
7) Registration Expiry Date		2022-03-31

8) Faculty of Medicine

1

9) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of

M/s. Water Grace Products , Nashik

11) Details of BMW**i) Authorized BMW Quantity MT/ anum (as per valid CCA)**

Yellow 0.6200	Red 0.5000	Blue 0.1900	White 0.0600
----------------------	-------------------	--------------------	---------------------

ii) Generation of BMW Quantity (kg/day)

Yellow 15.5300	Red 13.1200	Blue 2.2800	White 0.7600
-----------------------	--------------------	--------------------	---------------------

iii) Quantity of waste generated and disposed in MT/ annum (on monthly average basis)

Yellow 15.5300	Red 13.1200	Blue	White 0.7600	General Solid Waste 70.7100
-----------------------	--------------------	-------------	---------------------	------------------------------------

12) Details trainings conducted on BMW**i) Number of trainings conducted on BMW Management.**

112

ii) Number of personnel trained

443

iii) Number of personnel trained at the time of induction

331

iv) number of personnel not undergone any training so far**v) whether standard manual for training is available?**

Yes

vi) any other information

No

13) Details of the accident occurred during the year**i) Number of Accidents occurred****ii) Number of the persons affected****iii) Remedial Action taken (Please attach details if any)**

No

iv) Any Fatality occurred, If yes details.

No

14) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?

Yes

15) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?

Yes

Place Nashik	Designation Manager Operations	Date 2020-06-16
------------------------	--	---------------------------