



## My Applications

Sr No.	UAN No.	Application Type	Application Date	Status	Action
1	MPCB-BMW_ANNUAL_REPORT-0000007670	BIO-MEDICAL WASTE ANNUAL REPORT	22-06-2022	Submitted	Download   MPCB Documents
2	MPCB-BMW_AUTH-0000037885	BIO-MEDICAL WASTE AUTHORIZATION	26-10-2021	Submitted	Download   Payment   MPCB Documents
3	MPCB-BMW_AUTH-0000037827	BIO-MEDICAL WASTE AUTHORIZATION	22-10-2021	Submitted	Download   Payment   MPCB Documents
4	MPCB-E_WASTE_ANNUAL_REPORT_NEW-0000003461	E-WASTE ANNUAL REPORT	29-06-2021	Submitted	Download   MPCB Documents
5	MPCB-BMW_ANNUAL_REPORT-0000004764	BIO-MEDICAL WASTE ANNUAL REPORT	20-05-2021	Submitted	Download   MPCB Documents
6	MPCB-CONSENT_AMMENDMENT-0000006163	CONSENT AMMENDMENT	22-03-2021	Submitted	Download   MPCB Documents
7	MPCB-CONSENT_AMMENDMENT-0000005022	CONSENT AMMENDMENT	09-02-2021	Submitted	Download   MPCB Documents



<b>ii) Bio Medical Waste Generated (Kg/Month)</b>				
<b>Yellow</b> 4026.09000	<b>Red</b> 1705.16000	<b>Blue</b> 654.17000	<b>White</b> 95.28000	
<b>iii) Quantity of Biomedical waste given to CBMWTFD (kg/Month)</b>				
<b>Yellow</b> 4026.0900	<b>Red</b> 1705.1600	<b>Blue</b>	<b>White</b> 95.2800	<b>General Solid Waste</b> 4000.0000
<b>11) Details trainings conducted on BMW</b>				
<b>i) Number of trainings conducted on BMW Management.</b> 52				
<b>ii) Number of personnel trained</b> 978				
<b>iii) Number of personnel trained at the time of induction</b> 375				
<b>iv) number of personnel not undergone any training so far</b>				
<b>v) whether standard manual for training is available?</b> Yes				
<b>vi) any other information</b> NO				
<b>12) Details of the accident occurred during the year</b>				
<b>i) Number of Accidents occurred</b>				
<b>ii) Number of the persons affected</b>				
<b>iii) Remedial Action taken (Please attach details if any)</b> No				
<b>iv) Any Fatality occurred, If yes details.</b> No				
<b>13) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?</b> Yes				
<b>14) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?</b> Yes				
<b>15) Whether HCE intended to Sale / Handover liquid BMW for R&amp;D purpose</b> No				
<b>Place</b> Pune	<b>Designation</b> GM Operations	<b>Date</b> 22-06-2022		